







POWER BANK CATALOG

item#	IMAGE	SPECIFICATION		REMARK
Y01/10000Mah With Watch Charging Function	 <p style="text-align: right; font-size: small;">SIZE:102.88*40.8*31.94mm</p>	<p>NAME:Y16 Power Bank 10000Mah 2 in ONE With Watch Charging Function ITEM#:sxy-Y16 Material:ABS+PC Fireproof Battery Type:263376*1 SIZE:102*40*31mm N.W/PC:192g Color:Black, Yellow White</p>	<p>tpe-c(1)INPUT:5V/3A,9V/2.0A,12v/1.5A, OUTPUT:5V/3A 9V/2.2A 12V/1.5A tpe-c Cable(2)INPUT5V/3A,9V/2.0A,12v/1.5A, OUTPUT:5V/3A 9V/2.2A 12V/1.67A For Watch Power:2.5W USB OUTPUT:5V/3A 9V/2.2A 12V/1.5A</p>	
Y02/20000Mah With Watch Charging Function	 <p style="text-align: right; font-size: small;">SIZE:102.8*60.45*37.4mm</p>	<p>NAME:Y16 Power Bank 20000Mah 2 in ONE With Watch Charging Function ITEM#:sxy-Y16 Material:ABS+PC Fireproof Battery Type:263376*2 SIZE:102*60*37mm N.W/PC:192g Color:Black, Yellow White</p>	<p>tpe-c(1)INPUT:5V/3A,9V/2.0A,12v/1.5A, OUTPUT:5V/3A 9V/2.2A 12V/1.5A tpe-c Cable(2)INPUT5V/3A,9V/2.0A,12v/1.5A, OUTPUT:5V/3A 9V/2.2A 12V/1.67A For Watch Power:2.5W USB OUTPUT:5V/3A 9V/2.2A 12V/1.5A</p>	
Y01/10000Mah普通款	 <p style="text-align: right; font-size: small;">SIZE:102.88*40.8*31.94mm</p>	<p>NAME:Y16 Power Bank 10000Mah ITEM#:sxy-Y16 Material:ABS+PC Fireproof Battery Type:263376*2 SIZE:102*40*31mm N.W/PC:192g Color:Black, Yellow White</p>	<p>tpe-c(1)INPUT:5V/3A,9V/2.0A,12v/1.5A, OUTPUT:5V/3A 9V/2.2A 12V/1.5A tpe-c Cable(2)INPUT5V/3A,9V/2.0A,12v/1.5A, OUTPUT:5V/3A 9V/2.2A 12V/1.67A USB OUTPUT:5V/3A 9V/2.2A 12V/1.5A L Cable:5v/2.0A</p>	
Y02/20000Mah普通款	 <p style="text-align: right; font-size: small;">SIZE:102.8*60.45*37.4mm</p>	<p>NAME:Y16 Power Bank 20000Mah ITEM#:sxy-Y16 Material:ABS+PC Fireproof Battery Type:263376*2 SIZE:102*60*37mm N.W/PC:192g Color:Black, Yellow White</p>	<p>tpe-c(1)INPUT:5V/3A,9V/2.0A,12v/1.5A, OUTPUT:5V/3A 9V/2.2A 12V/1.5A tpe-c Cable(2)INPUT5V/3A,9V/2.0A,12v/1.5A, OUTPUT:5V/3A 9V/2.2A 12V/1.67A USB OUTPUT:5V/3A 9V/2.2A 12V/1.5A L Cable:5v/2.0A</p>	

<p>w05/5000MahTF Screen/数码 Screen/Wireless Cable Charging</p>	 <p>5000mAh POWERBANK</p> <p>SIZE:103*66*10mm</p>	<p>NAME:w05 Power Bank5000Mah ITEM#:sxy-w05 Material:ABS+PC Fireproof Battery Type:546280*1 SIZE:102*66*10mm N.W/PC:143g Color:Orange,Blue,Gray,Silver</p>	<p>type-c(1)INPUT:5V/3A,9V/2.0A,12v/1.5A, OUTPUT:5V/3A 9V/2.2A 12V/1.5A Phones Wireless Cable Charging Max OUTPUT:15w,Lightning For Watch PowerOUTPUT:2w,Earbuds OUTPUT:5w Screen Display:(Battery Level display/188 Screen)</p>
<p>w05/10000MahTF Screen/数码 Screen/Wireless Cable Charging</p>	 <p>10000mAh POWERBANK</p> <p>SIZE:103*66*14.25mm</p>	<p>NAME:w05 Power Bank 10000Mah ITEM#:sxy-w05 Material:ABS+PC Fireproof Battery Type:546280*1 SIZE:102*66*14.5mm N.W/PC:143g Color:Orange,Blue,Gray,Silver</p>	<p>type-c(1)INPUT:5V/3A,9V/2.0A,12v/1.5A, OUTPUT:5V/3A 9V/2.2A 12V/1.5A Phones Wireless Cable Charging Max OUTPUT:15w,Lightning For Watch PowerOUTPUT:2w,Earbuds OUTPUT:5w TF Screen Display:(Battery Level display/188 Screen)</p>




LARGE CAPACITY POWER BANK NEW MODELS



<p>M10/TF Screen20000Mah With Retractable Cable Cable65w/c Port OUTPUT100w</p>	 <p>20000MAH POWERBANK</p> <p>SIZE: 136*50*248.5MM</p>	<p>NAME: Power Bank 20000Mah 2 in one ITEM#:sxy-M10 Material:Aluminium alloy+PC Fireproof Battery Type:21700*4 20000Mah) SIZE:136*50*48mm N.W/PC:360g Color:Black,Gray,Blue</p>	<p>M10 Specification(Single IC Version, simultaneous charging for phone & laptop → power reduction.5/3.0A) type-c(1)INPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3.0A,20v/3.25A,(65w) type-c(1)OUTPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3.0A,20v/5A,(100w) type-c With Retractable Cable CableINPUT:5v/3A,9v/3.0A,15v/3A,20v/3.25A (65w) type-c With Retractable Cable Cable OUTPUT:5v/3A,9v/3.0A,15v/3A,20v/5A (100w) USB OUTPUT:5v/3A,9v/2.0A,12v/1.5A,10v/2.25A(22.52W) Led Light:1.8w Screen Display:(TFT Screenfast-charging lightning icon,voltage & current display, battery Level indicator Display (188 TF Screen)Single Port Fast Charging, Multi Port simultaneous Low to 5v/3.0A,Single Click Display:Battery Level display,Doube Click S0S Click Again Doube Click Turn Off SOS,Long Press Turn On Click Again Long PressTurn Off Light</p>	<p>Support Laptop</p>
<p>M11/TF Screen20000Mah With Retractable Cable Cable65w/c Port OUTPUT100w</p>	 <p>20000MAH POWERBANK</p> <p>SIZE: 136*50*248.5MM</p>	<p>NAME: Power Bank 20000Mah 2 in one ITEM#:sxy-M10 Material:Aluminium alloy+PC Fireproof Battery Type:21700*4 20000Mah) SIZE:136*50*48mm N.W/PC:361g Color:Black,Gray,Blue</p>	<p>M10 Specification(Single IC Version, simultaneous charging for phone & laptop → power reduction.5/3.0A) type-c(1)INPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3.0A,20v/3.25A,(65w) type-c(1)OUTPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3.0A,20v/5A,(100w) type-c With Retractable Cable CableINPUT:5v/3A,9v/3.0A,15v/3A,20v/3.25A (65w) type-c With Retractable Cable Cable OUTPUT:5v/3A,9v/3.0A,15v/3A,20v/5A (100w) USB OUTPUT:5v/3A,9v/2.0A,12v/1.5A,10v/2.25A(22.52W) Led Light:1.8w Screen Display:(TFT Screenfast-charging lightning icon, voltage & current display, battery Level indicator Display:,Battery Level display/188TF Screen)Single Port Fast Charging, Multi Port simultaneous Low to 5v/3.0A,Single Click Display:Battery Level display,Doube Click S0S Click Again Doube Click Turn Off SOS,Long Press Turn On Click Again Long PressTurn Off Light</p>	<p>Support Laptop</p>



<p>M11TF Screen不帶Light- With Retractable Cable Cable65w/c Port OUTPUT100w</p>	 <p>NAME: Power Bank 20000mah ITEM#:sxy-M10 Material:Aluminium alloy+PC Fireproof Battery Type:21700*4 20000Mah SIZE:136*50*48mm N.W/PC:361g Color:Black,Gray,Blue</p>	<p>2 in one ITEM#:sxy-M10 Material:Aluminium alloy+PC Fireproof Battery Type:21700*4 20000Mah SIZE:136*50*48mm N.W/PC:361g Color:Black,Gray,Blue</p>	<p>M10 Specification(Single IC Version, simultaneous charging for phone & laptop → power reduction.5/3.0A) tppe-c(1)INPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3.0A,20v/3.25A,(65w) tppe-c(1)OUTPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3.0A,20v/5A,(100w) type-c With Retractable Cable CableINPUT:5v/3A,9v/3.0A,15v/3A,20v/3.25A (65w) type-c With Retractable Cable Cable OUTPUT:5v/3A,9v/3.0A,15v/3A,20v/3.25A (65w) USB OUTPUT:5v/3A,9v/2.0A,12v/1.55A Single Click Display:Battery Level display, Screen Display:(TFT Screenfast-charging lightning icon, voltage & current display, battery Level indicator Display:,Battery Level display/188TF Screen)Single Port Fast Charging, Multi Port simultaneous Low to 5v</p>	<p>Support Laptop</p>
<p>M11TF Screen Without lanyard without Led Light- With Retractable Cable Cable65w/c Port OUTPUT100w</p>	 <p>NAME: Power Bank 20000mah ITEM#:sxy-M10 Material:Aluminium alloy+PC Fireproof Battery Type:21700*4 20000Mah SIZE:136*50*48mm N.W/PC:361g Color:Black,Gray,Blue</p>	<p>2 in one ITEM#:sxy-M10 Material:Aluminium alloy+PC Fireproof Battery Type:21700*4 20000Mah SIZE:136*50*48mm N.W/PC:361g Color:Black,Gray,Blue</p>	<p>M10 Specification(Single IC Version, simultaneous charging for phone & laptop → power reduction.5/3.0A) tppe-c(1)INPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3.0A,20v/3.25A,(65w) tppe-c(1)OUTPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3.0A,20v/5A,(100w) type-c With Retractable Cable CableINPUT:5v/3A,9v/3.0A,15v/3A,20v/3.25A (65w) type-c With Retractable Cable Cable OUTPUT:5v/3A,9v/3.0A,15v/3A,20v/3.25A (65w) (22.5w) USB OUTPUT:5v/3A,9v/2.0A,12v/1.55A 10v/2.25ASingle Click Display:Battery Level display, Screen Display:(TFT Screenfast-charging lightning icon, voltage & current display, battery Level indicator Display:,Battery Level display/188TF Screen)Single Port Fast Charging, Multi Port simultaneous Low to 5v</p>	<p>Support Laptop</p>
<p>M12/2000MahBuilt-In Cable/帶Light</p>	 <p>NAME: Power Bank 20000MahPD100w ITEM#:M12 Material:Aluminium alloy SIZE:106*50*48mm N.W/PC:370g Color:Blue,Gray,Black</p>	<p>NAME: Power Bank 20000MahPD100w ITEM#:M12 Material:Aluminium alloy SIZE:106*50*48mm N.W/PC:370g Color:Blue,Gray,Black</p>	<p>M12 Specification(Single IC Version, simultaneous charging for phone & laptop → power reduction.5/3.0A) tppe-cINPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3.0A,20v/3.25A,(65w) tppe-cOUTPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3.0A,20v/5A,(100w) Built-In Cabletppe-cINPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3.0A,20v/3.25A,(65w) Built-In Cabletppe-cOUTPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3.0A,20v/3.25A,(65w) usb(1)/usb(2)OUTPUT:5v/3A,9v/2.0A,12v/1.67A,10v/2.25A (22.5W) Light:2.5w,Long Press Turn On100% Lightness Brightness,Single Click 70% Second Level , Click Again Low Level ,Single Click 40% Third Brightness,Doulbe Click (sos,) Long PressTurn Off Screen Display:(fast-charging lightning icon, voltage & current display, battery Level indicator Display:,Battery Level display/188)Single Port Fast Charging, Multi Port simultaneous Low to 5v,</p>	
<p>M1202/2000Mah Built-In Cable</p>	 <p>NAME: Power Bank 20000MahPD100w ITEM#:M12 Material:Aluminium alloy SIZE:106*50*48mm N.W/PC:370g Color:Blue,Gray,Black</p>	<p>NAME: Power Bank 20000MahPD100w ITEM#:M12 Material:Aluminium alloy SIZE:106*50*48mm N.W/PC:370g Color:Blue,Gray,Black</p>	<p>M2 Specification(Single IC Version, simultaneous charging for phone & laptop → power reduction.5/3.0A) tppe-cINPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3.0A,20v/3.25A,(65w) tppe-cOUTPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3.0A,20v/5A,(100w) Built-In Cabletppe-cINPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3.0A,20v/3.25A,(65w) Built-In Cabletppe-cOUTPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3.0A,20v/3.25A,(65w) usb(1)/usb(2)OUTPUT:5v/3A,9v/2.0A,12v/1.67A,10v/2.25A (22.5W) Screen Display:(fast-charging lightning icon, voltage & current display, battery Level indicator Display:,Battery Level display/188)Single Port Fast Charging, Multi Port simultaneous Low to 5v</p>	

<p>M13TF Screen30000Mah -165w</p>	 <p>30000mAh POWER BANK</p> <p>SIZE:158.6*50.2*48.5mm</p>	<p>NAME: Power Bank30000Mah ITEM#:sxy-M13-s2 Material:Aluminium alloy+PC Fireproof Battery Type:21700*6 30000Mah) SIZE:156*50.5*48mm N.W/PC: .561g Color:Black,Blue,TF Screen 1. Charging Power:0-45℃ 80W, 45℃ low to 65W,55℃ Turn Off Charging,Back to 5℃ Start Charging, 2. Charging Input C Port,First Plug Port Charging ,Second Plug Port Without Power. 3.Output :C+C Port Single Single OUTPUT 100W,C+C Port simultaneous C2 100W,C1:65W</p>	<p>M13 Specification(Double IC Version,Support simultaneous ChargingPhones And laptops,No power reduction Power) tpe-c(1)/tpe-c(2)Single PortINPUT:5v/3A,(9v-15v)/3.0A,20v/4.0A,(80W) tpe-c(1)/tpe-c(2)Single Port OUTPUT:5v/3A,(9v-15v)/3.0A,20v/5A,(100w) tpe-c(1)+(2) simultaneous OUTPUT:c1 Port20v/3.25A 65w,c2 Port20v/5A 100w,(c1:65w+c2:100w,Total Power 165w) tpe-c(1)+(2) simultaneous INPUT:First Plug Port Charging电80w,Second Plug PortWithout Power. usb-ASingle Port OUTPUT:5v/3A,9v/2.0A,12v/1.5A,10v/2.25A(22.5w) TF Screen Display:(Voltage / Current / PowerBattery Level display/188TF Screen) Light Power :2w c1 Port/c2 Port Support simultaneous fast charging Charging;c1 Port/usb simultaneous voltage5v;c2/usb simultaneous voltage Fast Charging,(c1+usb) +c2 simultaneous 5v3A+100w,Single Click Display:Battery Level display,Doulbe Click S0S Click Again Doulbe Click Turn Off SOS,Long Press Turn On Click Again Long PressTurn Off Light</p>	<p>Support Laptop</p>
<p>M1302TF Screen30000Mah With Lanyard/165w</p>	 <p>NAME: Power Bank30000Mah ITEM#:sxy-M13-s2 Material:Aluminium alloy+PC Fireproof Battery Type:21700*6 30000Mah) SIZE:156*50.5*48mm N.W/PC: .561g Color:Black,Blue,TF Screen 1. Charging Power:0-45℃ 80W,exceed 45 ℃ low to 65W,55℃ will Turn Off Charging,Back to 5℃ Charging Again, 2. Charging Simulately Charging C Port,First Plug Port Charging,Second Plug PortWithout Power. 3.Output: Both Type-C Port Single OUTPUT with 100W,C+C Port simultaneous C2 100W,C1:65W</p> <p>mm2.84*5.02*0.821.3512</p>	<p>M13 Specification(Double IC Version,Support simultaneous ChargingPhones And laptops,No power reduction Power) tpe-c(1)/tpe-c(2)Single PortINPUT:5v/3A,(9v-15v)/3.0A,20v/4.0A,(80W) tpe-c(1)/tpe-c(2)Single Port OUTPUT:5v/3A,(9v-15v)/3.0A,20v/5A,(100w) tpe-c(1)+(2) simultaneous OUTPUT:c1 Port20v/3.25A 65w,c2 Port20v/5A 100w,(c1:65w+c2:100w,Total Power 165w) tpe-c(1)+(2) simultaneous INPUT:First Plug Port Charging 80w,Second Plug PortWithout Power. usb-ASingle Port OUTPUT:5v/3A,9v/2.0A,12v/1.5A,10v/2.25A(22.5w) TF Screen Display:(Voltage / Current / PowerBattery Level display/188TF Screen) Light Power :2w c1 Port/c2 Port Support simultaneous fast charging Charging;c1 Port/usb simultaneous voltage5v;c2/usb simultaneous voltage Fast Charging,(c1+usb) +c2 simultaneous 5v3A+100w,Single Click Display:Battery Level display,Doulbe Click S0S Click Again Doulbe Click Turn Off SOS,Long Press Turn On Click Again Long PressTurn Off Light</p>	<p>Support Laptop</p>	
<p>M16/TF Screen30000Mah With Lanyard charging Cable/165w</p>	 <p>30000mAh POWERBANK</p> <p>SIZE:158.6*50.2*48.5mm</p>	<p>ITEM#:sxy-M16 Material:Aluminium alloy+PC Fireproof Battery Type:21700*6 30000Mah) SIZE:156*50.5*48mm N.W/PC: .561g Color:Black,Blue,TF Screen 1. Charging Power :0-45℃ 80W, 45℃ low to 65W,55℃ will Turn Off Charging,Back to 5℃ Start Charging Again, 2. Charging C+C Port,First Plug Port Charging,Second Plug Port Without Power. 3.Output:C+C Port,Single OUTPUT:100W,C+C Port simultaneous:C2 100W,C1:65W</p>	<p>M13 Specification(Double IC Version,Support simultaneous ChargingPhones And laptops,No power reduction Power) tpe-c(1)/tpe-c CableSingle PortINPUT:5v/3A,(9v-15v)/3.0A,20v/4.0A,(80W) tpe-c(1)/tpe-c CableSingle Port OUTPUT:5v/3A,(9v-15v)/3.0A,20v/5A,(100w) tpe-c(1)+c Cable simultaneous OUTPUT:c1 Port20v/5A 100w,c2 Port20v/3.25A 65w,(c1:100w+c2:65w,Total Power 165w) tpe-c(1)+(2) simultaneous INPUT:First Plug Port Charging 80w,Second Plug PortWithout Power. usb-A/c2 Single Port OUTPUT:5v/3A,9v/2.0A,12v/1.5A,10v/2.25A(22.5w) TF Screen Display:(Voltage / Current / PowerBattery Level display/188TF Screen) Light Power :2w c1 Port/c2 Port Support simultaneous fast charging Charging;c1 Port/usb simultaneous voltage5v;c2/usb simultaneous voltage Fast Charging,(c1+usb) +c2 simultaneous 5v3A+100w,Single Click Display:Battery Level display,Doulbe Click S0S Click Again Doulbe Click Turn Off SOS,Long Press Turn On Click Again Long PressTurn Off Light</p>	<p>Support Laptop</p>

<p>M14/2000Mah Built-In With Retractable Cable/ With Lanyard</p>	 <p>20000MAH POWERBANK</p> <p>SIZE:119*49*48.5MM</p>	<p>NAME: Power Bank 20000MahPD100w ITEM#:M14 Material:Aluminium alloy SIZE:106*50*48mm N.W/PC:370g Color:Blue,Gray,Black</p>	<p>M14 Specification(Single IC Version, simultaneous charging for phone & laptop → power reduction.5/3.0A) ttype-cINPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3.0A,20v/3.25A,(65w) ttype-cOUTPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3.0A,20v/5A,(100w) Built-In Cablettype-cINPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3.0A,20v/3.25A,(65w) Built-In Cablettype-cOUTPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3.0A,20v/3.25A,(65w) usb(1)/usb(2)OUTPUT:5v/3A,9v/2.0A,12v/1.67A,10v/2.25A (22.5W) Screen Display:(fast-charging lightning icon, voltage & current display, battery Level indicator Display:,Battery Level display/188)Single Port Fast Charging, Multi Port simultaneous Low to 5v</p>	
<p>M15 With Lanyard(20000Mah/65w)</p>	 <p>20000MAH POWERBANK</p> <p>SIZE:83*67*45MM</p>	<p>NAME: Power Bank 20000Mah ITEM#:sxy-M15-01 Material:Aluminium alloy+PC Fireproof Battery Type:676074*4 20000Mah) SIZE:80*63.5*45mm N.W/PC:361g Color:Black,Blue,Pink</p>	<p>Specification(Single IC Version, simultaneous charging for phone & laptop → power reduction.5/3.0A) ttype-c(1)INPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3.0A,20v/2.25A,(45w) ttype-c(1)OUTPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3.0A,20v/3.25A,(65w) type-c With Retractable Cable CableINPUT:5v/3A,9v/3.0A,15v/3A,20v/2.25A (45w) type-c With Retractable Cable Cable OUTPUT:5v/3A,9v/3.0A,15v/3A,20v/3.25A (65w) USB OUTPUT:5v/3A,9v/2.0A,12v/1.55A,10V/2.25A(22.5W) Screen Display:(TFT Screenfast-charging lightning icon, voltage & current display, battery Level indicator Display:,Battery Level display/188)Single Port Fast Charging, Multi Port simultaneous Low to 5v</p>	<p>Support Laptop</p>
<p>M17/30000Mah 不帶 With Lanyard Without Led Light 165w</p>	 <p>30000MAH POWERBANK</p> <p>SIZE:134*71*48.5mm</p>	<p>NAME: Power Bank30000Mah ITEM#:sxy-M17-01 Material:ABS+PC Fireproof Battery Type:21700*6 SIZE:134.7*71.7*48.5mm N.W/PC: Color:Gray</p>	<p>M17 Specification(Double IC Version,Support simultaneous ChargingPhones And laptops,No power reduction Power) C1 With Retractable Cable Cable/ttype-c(2)Single Port INPUT:5v/3A,(9v-15v)/3.0A,20v/4.0A,(80W) C1 With Retractable Cable Cable/ttype-c(2)Single Port OUTPUT:5v/3A,(9v-15v)/3.0A,20v/5A,(100w) C1 With Retractable Cable Cable+c2 simultaneous OUTPUT:c1 Port 20v/3.25A 65w,c2 Port 20v/5A 100w, C1 With Retractable Cable Cable:65w+c2:100w>Total Power 165w) C1 With Retractable Cable Cable+c2 simultaneous INPUT:First Plug Port Charging电 80wSecond Plug PortWithout Power,或C1:40w+C2:40w usb-ASingle Port OUTPUT:5v/3A,9v/2.0A,12v/1.5A,10v/2.25A(22.5w) TF Screen Display:(Voltage / Current / PowerBattery Level display/188 Screen) C1 With Retractable Cable Cable/c2 Port Support simultaneous fast charging Charging:</p>	<p>Support Laptop</p>
<p>M1702/30000Mah Without Led Light 165w</p>	 <p>30000MAH POWERBANK</p> <p>SIZE:134*71*48.5mm</p>	<p>NAME: Power Bank30000Mah ITEM#:sxy-M17-02 Material:ABS+PC Fireproof Battery Type:21700*6 SIZE:134.7*71.7*48.5mm N.W/PC: Color:Gray</p>	<p>M17 Specification(Double IC Version,Support simultaneous ChargingPhones And laptops,No power reduction Power) C1 With Retractable Cable Cable/ttype-c(2)Single Port INPUT:5v/3A,(9v-15v)/3.0A,20v/4.0A,(80W) C1 With Retractable Cable Cable/ttype-c(2)Single Port OUTPUT:5v/3A,(9v-15v)/3.0A,20v/5A,(100w) C1 With Retractable Cable Cable+c2 simultaneous OUTPUT:c1 Port 20v/3.25A 65w,c2 Port 20v/5A 100w, C1 With Retractable Cable Cable:65w+c2:100w>Total Power 165w) C1 With Retractable Cable Cable+c2 simultaneous INPUT:First Plug Port Charging电 80wSecond Plug PortWithout Power,或C1:40w+C2:40w usb-ASingle Port OUTPUT:5v/3A,9v/2.0A,12v/1.5A,10v/2.25A(22.5w) TF Screen Display:(Voltage / Current / PowerBattery Level display/188 Screen) C1 With Retractable Cable Cable/c2 Port Support simultaneous fast charging Charging; With Retractable Cable Cable/usb simultaneous voltage Fast Charging;c2/usb simultaneous voltage5v, (c2+usb)+ With Retractable Cablec Cable simultaneous :5v/3A+100w,Single Click Display:Battery Level display</p>	<p>Support Laptop</p>

<p>M1703/30000Mah With Light With Lanyard 165w</p>	 <p>30000MAH POWERBANK</p> <p>SIZE:134.7*71.7*48.5mm</p>	<p>NAME: Power Bank30000Mah ITEM#:sxy-M17-03 Material:ABS+PC Fireproof Battery Type:21700*6 SIZE:134.7*71.7*48.5mm N.W/PC: Color:Gray</p>	<p>M17 Specification(Double IC Version,Support simultaneous ChargingPhones And laptops,No power reduction Power) C1 With Retractable Cable Cable/ttpe-c(2)Single Port INPUT:5v/3A,(9v-15v)/3.0A,20v/4.0A,(80W) C1 With Retractable Cable Cable/ttpe-c(2)Single Port OUTPUT:5v/3A,(9v-15v)/3.0A,20v/5A,(100w) C1 With Retractable Cable Cable+c2 simultaneous OUTPUT:c1 Port 20v/3.25A 65w,c2 Port 20v/5A 100w, C1 With Retractable Cable Cable:65w+c2:100w,Total Power 165w) C1 With Retractable Cable Cable+c2 simultaneous INPUT:First Plug Port Charging电 80wSecond Plug PortWithout Power,或C1:40w+C2:40w usb-ASingle Port OUTPUT:5v/3A,9v/2.0A,12v/1.5A,10v/2.25A(22.5w) TF Screen Display:(Voltage / Current / PowerBattery Level display/188 Screen) C1 With Retractable Cable Cable/c2 Port Support simultaneous fast charging Charging; With Retractable Cablec Cable/usb simultaneous voltage Fast Charging;c2/usb simultaneous voltage5v, (c2+usb)+ With Retractable Cablec Cable simultaneous :5v/3A+100w,Single Click Display:Battery Level display,Double Click SOS Click Again Double Click Turn Off SOS,Long Press Turn On Click Again Long PressTurn Off Light</p>	<p>Support Laptop</p>
<p>M18/30000Mah 不带 With Lanyard Without Led Light 165w</p>	 <p>30000MAH POWERBANK</p> <p>SIZE:134.7*71.7*48.5mm</p>	<p>NAME: Power Bank30000Mah ITEM#:sxy-M18-01 Material:ABS+PC Fireproof Battery Type:21700*6 SIZE:134.7*71.7*48.5mm N.W/PC: Color:Gray</p>	<p>M17 Specification(Double IC Version,Support simultaneous ChargingPhones And laptops,No power reduction Power) C1 With Retractable Cable Cable/ttpe-c(2)Single Port INPUT:5v/3A,(9v-15v)/3.0A,20v/4.0A,(80W) C1 With Retractable Cable Cable/ttpe-c(2)Single Port OUTPUT:5v/3A,(9v-15v)/3.0A,20v/5A,(100w) C1 With Retractable Cable Cable+(2) simultaneous OUTPUT:c1 Port 20v/3.25A 65w,c2 Port 20v/5A 100w, C1 With Retractable Cable Cable:65w+c2:100w,Total Power 165w) C1 With Retractable Cable Cable+(2) simultaneous INPUT:First Plug Port Charging电 80w,Second Plug PortWithout Power. usb-ASingle Port OUTPUT:5v/3A,9v/2.0A,12v/1.5A,10v/2.25A(22.5w) TF Screen Display:(Voltage / Current / PowerBattery Level display/188 Screen) C1 With Retractable Cable Cable/c2 Port Support simultaneous fast charging Charging; With Retractable Cablec Cable/usb simultaneous voltage Fast Charging;c2/usb simultaneous voltage5v, (c2+usb)+ With Retractable Cablec Cable simultaneous :5v/3A+100w,Single Click Display:Battery Level display</p>	<p>Support Laptop</p>
<p>M1802/30000Mah Without Led Light 165w</p>	 <p>30000MAH POWERBANK</p> <p>SIZE:134.7*71.7*48.5mm</p>	<p>NAME: Power Bank30000Mah ITEM#:sxy-M18-02 Material:ABS+PC Fireproof Battery Type:21700*6 SIZE:134.7*71.7*48.5mm N.W/PC: Color:Gray</p>	<p>M17 Specification(Double IC Version,Support simultaneous ChargingPhones And laptops,No power reduction Power) C1 With Retractable Cable Cable/ttpe-c(2)Single Port INPUT:5v/3A,(9v-15v)/3.0A,20v/4.0A,(80W) C1 With Retractable Cable Cable/ttpe-c(2)Single Port OUTPUT:5v/3A,(9v-15v)/3.0A,20v/5A,(100w) C1 With Retractable Cable Cable+(2) simultaneous OUTPUT:c1 Port 20v/3.25A 65w,c2 Port 20v/5A 100w, C1 With Retractable Cable Cable:65w+c2:100w,Total Power 165w) C1 With Retractable Cable Cable+(2) simultaneous INPUT:First Plug Port Charging电 80w,Second Plug PortWithout Power. usb-ASingle Port OUTPUT:5v/3A,9v/2.0A,12v/1.5A,10v/2.25A(22.5w) TF Screen Display:(Voltage / Current / PowerBattery Level display/188 Screen) C1 With Retractable Cable Cable/c2 Port Support simultaneous fast charging Charging; With Retractable Cablec Cable/usb simultaneous voltage Fast Charging;c2/usb simultaneous voltage5v, (c2+usb)+ With Retractable Cablec Cable simultaneous :5v/3A+100w,Single Click Display:Battery Level display</p>	<p>Support Laptop</p>

<p>M1 803/30000Mah 带Light款 With Lanyard 165w</p>		<p>NAME: Power Bank30000Mah ITEM#:sxy-M18-03 Material:ABS+PC Fireproof Battery Type:21700*6 SIZE:134.7*71.7*48.5mm N.W/PC: Color:Gray</p>	<p>M17 Specification(Double IC Version,Support simultaneous ChargingPhones And laptops,No power reduction Power) C1 With Retractable Cable Cable/ttpe-c(2)Single Port INPUT:5v/3A,(9v-15v)/3.0A,20v/4.0A,(80w) C1 With Retractable Cable Cable/ttpe-c(2)Single Port OUTPUT:5v/3A,(9v-15v)/3.0A,20v/5A,(100w) C1 With Retractable Cable Cable+c2 simultaneous OUTPUT:c1 Port 20v/3.25A 65w,c2 Port 20v/5A 100w, C1 With Retractable Cable Cable:65w+c2:100w>Total Power 165w) C1 With Retractable Cable Cable+c2 simultaneous INPUT:First Plug Port Charging电 80wSecond Plug PortWithout Power,或C1:40w+C2:40w usb-A Single Port OUTPUT:5v/3A,9v/2.0A,12v/1.5A,10v/2.25A(22.5w) TF Screen Display:(Voltage / Current / PowerBattery Level display/188 Screen) C1 With Retractable Cable Cable/c2 Port Support simultaneous fast charging Charging; With Retractable Cablec Cable/usb simultaneous voltage Fast Charging;c2/usb simultaneous voltage5v, (c2+usb)+ With Retractable Cablec Cable simultaneous :5v/3A+100w,Single Click Display:Battery Level display,Doube Click SOS Click Again Doube Click Turn Off SOS,Long Press Turn On Click Again Long PressTurn Off Light</p>	<p>Support Laptop</p>
<p>M2 普通款/100w Laptop Power Bank</p>		<p>NAME: Power Bank 20000MahPD100w ITEM#:M2 Material:Aluminium alloy4 SIZE:106*48*48mm N.W/PC:370g Color:Blue,Gray,Black</p>	<p>M2 Specification(Single IC Version, simultaneous charging for phone & laptop → power reduction.5/3.0A) ttpe-c(1)/(2)INPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3.0A,20v/3.25A,(65w) ttpe-c(1)/(2)OUTPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3.0A,20v/5A,(100w) usb(1)/usb(2)OUTPUT:5v/3A,9v/2.0A,12v/1.67A,10v/2.25A (22.5W) Screen Display:(fast-charging lightning icon, voltage & current display, battery Level indicator Display:,Battery Level display/188)Single Port Fast Charging, Multi Port simultaneous Low to 5v</p>	<p>Support Laptop</p>
<p>M2 升级款 Double 路/100w Laptop Power Bank</p>		<p>NAME: Power Bank 20000Mah65w ITEM#:M2 Material:Aluminium alloy Battery Type:21700*4 SIZE:106*48*48mm N.W/PC:370g Color:Blue,Gray,Black</p>	<p>M2 Specification(Support simultaneous ChargingPhones And laptops,No power reduction Power) tye-c(1)/(2)Single PortINPUT OUTPUT:5v/3A,(9v-15v)/3.0A,20v/3.25A,(65w) tpe-c(1)+(2) Port simultaneous OUTPUTc1+c2=90w,5v/3A,(9v-15v)/3.0A,20v/2.25A,(45w) usb(1)/usb(2)OUTPUT:5v/3A,9v/2.0A,12v/1.5A,10v/2.25 (22.5w) Screen Display:(Voltagev,Currenty v,Battery Level display/188 Screen) Port simultaneous Charging Output Suppor Screen Display: c1/c2Single PortINPUT OUTPUT All 65w,c1 Port+c2 Port OUTPUT simultaneous Fast Chargingc1:45w+c2:45w;c1 Port+usb2 simultaneous voltage Chargingc1:45+usb2:22.5w;c2+usb1 simultaneous voltage Fast Chargingc2:45w+usb1:22.5w,c1tusb1 simultaneous 5v/4.5,ctusb2 simultaneous 5v/4.54,4pcs Port simultaneous 5v</p>	<p>Support Laptop</p>
<p>M3 普通版/100w笔 记 本 Power Bank</p>		<p>NAME: Laptop Power Bank30000Mah普通版 ITEM#:M3 Material:ABS+Aluminium alloy Battery Type:21700*6 SIZE:50*79*110mm N.W/PC:585g G.W/CTN:570g Color:Black,Gray,Blue</p>	<p>N3/30000Mah Specification(Single IC Version, simultaneous charging for phone & laptop → power reduction.5V) ttpe-c(1) / (2))INPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3.0A,20v/4A,(80w) ttpe-c(1) / (2)INPUT OUTPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3.0A,20v/5A(100w) usb(1)/usb(2)OUTPUT:5v/3A,9v/2.0A,12v/1.55A,10v/2.25A Screen Display:(Voltagev,Currenty A,Battery Level display/188 Screen) c1 Port/c2 Port Single Port Fast Charging;Multi Port simultaneous voltage5v;Single Click Display:Battery Level display,Long Press Open outdoor Light Single Click to Light Brightness Level 1 Brightness,2 Medium,3 Highest Brightness,Doube Click Strobe Lightsos</p>	<p>Support Laptop</p>

<p>M3 Update Version/100w Laptop Power Bank</p>		<p>NAME: Laptop Power Bank30000Mah Update Version ITEM#:M3 Material:ABS+Aluminium alloy Battery Type:21700*6 SIZE:50*79*110mm N.W/PC:585g G.W/CTN:11750g Color:Black,Gray,Blue</p>	<p>M3 Specification(Double IC Version,Support simultaneous ChargingPhones And laptops,No power reduction Power) type-c(1)/tpe-c(2)Single PortINPUT:5v/3A,(9v-15v)/3.0A,20v/4.0A,(80W) type-c(1)/tpe-c(2)Single Port OUTPUT:5v/3A,(9v-15v)/3.0A,20v/5A,(100w) type-c(1)+(2) simultaneous OUTPUT:c1 Port20v/3.25A 65w;c2 Port20v/3.25A,65w(c1:65w+c2:65w,Total Power 130w) type-c(1)+(2) simultaneous INPUT:c1 Port+c2(Total Power 80w)。 usb(1)/usb(2)OUTPUT:5v/3A,9v/2.0A,12v/1.5A,10v/2.25A usb2+type-c(1)OUTPUT:(22.5w+65W); usb+type-c(2)OUTPUT:(22.5w+65w) Screen Display:(Voltage,Currenty ,Battery Level display/188 Screen) c1/c2 Port Single PortINPUT All 80w,c1/c2 Port Single Port Support以 OUTPUT All 100w,c1 Port/c2 Port Support simultaneous fast charging Charging;c1 Port/usb2 simultaneous voltage Fast Charging;c2/usb1 simultaneous voltage Fast Charging,(c1+us1) /(c2+us2) simultaneous 慢 Charging,3pcs Port/4pcs Port simultaneous 5v,Single Click Display:Battery Level display,Long Press Turn On</p>	<p>Support Laptop</p>
<p>M302 Double 路 /100w+DC65w Laptop Power Bank</p>		<p>NAME: Laptop Power Bank30000Mah Update Version ITEM#:M302 Material:ABS+Aluminium alloy Battery Type:21700*6 SIZE:50*79*110mm N.W/PC:585g G.W/CTN:11751g Color:Black,Gray,Blue</p>	<p>M3 Specification(Double IC Version,Support simultaneous ChargingPhones And laptops,No power reduction Power) type-c(1)/tpe-c(2)Single PortINPUT:5v/3A,(9v-15v)/3.0A,20v/4.0A,(80W) type-c(1)/tpe-c(2)Single Port OUTPUT:5v/3A,(9v-15v)/3.0A,20v/5A,(100w) type-c(1)+(2) simultaneous OUTPUT:c1 Port20v/3.25A 65w;c2 Port20v/3.25A,65w(c1:65w+c2:65w,Total Power 130w) type-c(1)+(2) simultaneous INPUT:c1 Port+c2(Total Power 80w)。 usb(1)/usb(2)OUTPUT:5v/3A,9v/2.0A,12v/1.5A,10v/2.25A DC Port OUTPUT:12v/5.5A usb2+type-c(1)OUTPUT:(22.5w+65W); usb+type-c(2)OUTPUT:(22.5w+65w) Screen Display:(Voltage,Currenty ,Battery Level display/188 Screen) c1/c2 Port Single PortINPUT All 80w,c1/c2 Port Single Port Support以 OUTPUT All 100w,c1 Port/c2 Port Support simultaneous fast charging Charging;c1 Port/usb2 simultaneous voltage Fast Charging;c2/usb1 simultaneous voltage Fast Charging,(c1+us1) /(c2+us2) simultaneous 慢 Charging,3pcs Port/4pcs Port simultaneous 6v,Single Click Display:Battery Level display,Long Press Turn On</p>	<p>Support Laptop</p>
<p>M5A/100w Laptop Power Bank(Large Wattage)</p>		<p>NAME: Power Bank30000MahPD160w ITEM#:M5 Material:PC+ABS Battery Type:21700*6 SIZE:152*51*48mm N.W/PC:528g Color:Blue,Gray</p>	<p>M5 Specification(Double IC Version,Support simultaneous ChargingPhones And laptops,No power reduction Power) type-c(1)/type-c(2)Single PortINPUT:5v/3A,(9v-15v)/3.0A,20v/4.0A,(80W) type-c(1)/type-c(2)Single Port OUTPUT:5v/3A,(9v-15v)/3.0A,20v/5A,(100w) type-c(1)+typc(2) simultaneous OUTPUT:c1 Port20v/5A 100w;c2 Port20v/3.25A(c1:100w+c2:65w,Total Power 165w) tpe-c(1)+(2) simultaneous INPUT:c1 Port20v/2A,40w;c2 Port20v/2A,Single Port40w,Total Power 80w)。 type-c(1)+USB simultaneous OUTPUT:c1 Port20v/5A,100w+USB:22.5w=125w Type-c(2)+USB simultaneous OUTPUT:5v usbSingle Port OUTPUT:5v/3A,9v/2.0A,12v/1.5A,10v/2.25A(22.5w) Screen Display:(Voltage,Currenty 4,Battery Level display/188 Screen) c1/c2 Port Single PortINPUT All 80w,c1/c2 Port Single Port Support以 OUTPUT All 100w,c1 Port+c2 Port Support simultaneous fast charging Charging;c1 Port/usb simultaneous voltage Fast Charging;c2/usb simultaneous voltage5v,3pcs Port simultaneous 5v,Single Click Display:Battery Level display</p>	<p>Support Laptop</p>

<p>M201/20000Mah100w Laptop Power Bank (Large Wattage)</p>		<p>NAME: Power Bank 20000MahPD100w ITEM#:M2-01 Material:PC+ABS Battery Type:21700*4 SIZE:152*51*36mm N.W/PC:367g Color:Gray</p>	<p>M2-01 Specification(Single IC Version,Support simultaneous ChargingPhones And laptops,降 Power 5v) type-cINPUT:5v/3A,(9v-15v)/3.0A,20v/3.25A,(65W) type-cOUTPUT:5v/3A,(9v-15v)/3.0A,20v/5A,(100w) usbSingle Port OUTPUT:5v/3A,9v/2.0A,12v/1.67A,10v/2.25A (22.5w) type-c+usb simultaneous OUTPUT:5v-3A(Total Power 20w)。 Screen Display:(Battery Level display/TFT Screen) Single Port Fast Charging,2pcs Port simultaneous 5v,Single Click Display:Battery Level display</p>	<p>Support Laptop</p>
<p>M202/20000Mah101w Laptop Power Bank (Large Wattage)</p>	 <p>20000mAh POWERBANK</p> <p>SIZE:152.6*51*34.9mm</p>	<p>NAME: Power Bank 20000MahPD100w ITEM#:M2-01 Material:PC+ABS Battery Type:21700*4 SIZE:152*51*36mm N.W/PC:368g Color:Gray</p>	<p>M2-01 Specification(Single IC Version,Support simultaneous ChargingPhones And laptops,降 Power 5v) type-cINPUT:5v/3A,(9v-15v)/3.0A,20v/3.25A,(65W) type-cOUTPUT:5v/3A,(9v-15v)/3.0A,20v/5A,(100w) type-c CableINPUT:5v/3A,(9v-15v)/3.0A,20v/3.25A,(65W) type-c Cable OUTPUT:5v/3A,(9v-15v)/3.0A,20v/3.25A,(65W) usbSingle Port OUTPUT:5v/3A,9v/2.0A,12v/1.67A,10v/2.25A (22.5w) type-c+usb simultaneous OUTPUT:5v-3A(Total Power 20w)。 Screen Display:(Battery Level display/TFT Screen) Single Port Fast Charging,2pcs Port simultaneous 6v,Single Click Display:Battery Level display</p>	<p>Support Laptop</p>
<p>M5B-100w Laptop Power Bank30000Mah(Large Wattage)</p>	 <p>30000mAh POWER BANK</p> <p>SIZE:50.5*152.2*48MM</p>	<p>NAME: Power Bank30000MahPD160w ITEM#:M5 Material:PC+ABS Battery Type:21700*6 SIZE:152*51*48mm N.W/PC:528g Color:Blue,Gray</p>	<p>M5-2 Specification(Double IC Version,Support simultaneous ChargingPhones And laptops,No power reduction Power) type-c(1)/type-c(2)Single PortINPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3.0A,20v/4.0A,(80W) type-c(1)/type-c(2)Single Port OUTPUT:5v/3A,(9v-15v)/3.0A,20v/5A,(100w) type-c(1)+typc(2) simultaneous OUTPUT:c1 Port20v/5A 100w;c2 Port20v/3.25A(c1:100w+c2:65w,Total Power 165w) ttype-c(1)+(2) simultaneous INPUT:First Plug Port工作.,Total Power 80w)。 type-c(1)+USB simultaneous OUTPUT:c1 Port20v/5A,100w+20w=120w Type-c(2)+USB simultaneous OUTPUT:5v/3.0A usbSingle Port OUTPUT:5v/3A,9v/2.0A,12v/1.5A,10v/2.25A(22.5w) Screen Display:(Voltage,Currenty ,Battery Level display/188 Screen) c1/c2 Port Single PortINPUT All 80w,c1/c2 Port Single Port Support以OUTPUT All 100w,c1 Port+c2 Port Support simultaneous fast charging Charging;c1 Port/usb simultaneous voltage Fast Charging;c2/usb simultaneous voltage5v,3pcs Port simultaneous 5v,Single Click Display:Battery Level display</p>	<p>Support Laptop</p>
<p>M6(60000Mah) /100w Laptop Power Bank(Large Wattage)</p>		<p>NAME: Laptop Power Bank60000Mah Update Version ITEM#:M6 Material:ABS+Aluminium alloy Battery Type:21700*12 SIZE:118*73*103mm inner box Size:16*10*12cm CTN Size:35*42+25cm N.W/PC:1170g G.W/CTN:10kg Color:Black,Gray,Blue</p>	<p>M6 Specification(Double IC Version,Support simultaneous ChargingPhones And laptops,No power reduction Power) ttype-c(1)Single PortINPUT OUTPUT:5v/3A,(9v-15v)/3.0A,20v/5A,(100W) ttype-c(2)Single PortINPUT OUTPUT:5v/3A,(9v-15v)/3.0A,20v/5A,(100w) ttype-c(1)+(2) simultaneous INPUT:C1 Port+c2 Port(100w), ttype-c(1)+(2) simultaneous OUTPUT:c1 Port:100w+c2 Port:100w(Total Power 200w); usb(1)/usb(2)OUTPUT:5v/3A,9v/2.0A,12v/1.5,10v/2.25A(22.5w) DC Port OUTPUT:12v/5.5A ttype-c(1)+(2)+DC simultaneous OUTPUT:c1 Port:100w+c2 Port:100w+DC65w(Total Power 265w) Screen Display:(Voltage,Currenty ,Battery Level display/188 Screen) c1/c2 Port Single Port Support以INPUT OUTPUT All 100w,c1 Port/c2 Port Support simultaneous fast charging Charging;c1 Port/usb2 simultaneous voltage Fast Charging;c2/usb1 simultaneous voltage Fast Charging,c1/usb1 simultaneous 5v,c2/usb2 simultaneous 5v,4pcs Port simultaneous 5v,Single Click Display:Battery Level display,Long Press Open outdoor LightSingle Click to Light Brightness Level (1 Brightness,2 Medium,3 Highest Brightness,Doulbe Click Level Strobe Lightsos</p>	<p>Support Laptop</p>


<p>M602(6000Mah) With Retractable Cable/265ww Laptop Power Bank(Large Wattage)</p>		<p>NAME: Laptop Power Bank6000Mah Update Version ITEM#:M602 Material:ABS+Aluminium alloy Battery Type:21700*12 SIZE:127.7*103*72.4mm inner box Size: CTN Size: N.W/PC:12700g G.W/CTN:10kg Color:Black, Gray,Blue,Orange</p>	<p>M9 Specification(Double IC Version,Support simultaneous ChargingPhones And laptops,No power reduction Power) tpe-c(1)Single PortINPUT OUTPUT:5v/3A,(9v-15v)/3.0A,20v/5A,(100W) tpe-c(2)Single PortINPUT OUTPUT:5v/3A,(9v-15v)/3.0A,20v/5A,(100w) tpe-c(1)+(2) simultaneous INPUT:C1 Port+c2 Port(100w), Built-In With Retractable Cable Cabletpe-cSingle PortINPUT OUTPUT:5v/3A,(9v-15v)/3.0A,20v/5A,(100W) tpe-c(1)+(2) simultaneous OUTPUT:c1 Port:100w+c2 Port:100w(Total Power 200w); tpe-c(1)+Built-In With Retractable Cable Cabletpe-cSingle Port simultaneous OUTPUT:c1 Port:100w+c2 Port:100w(Total Power 200w); usb(1)/usb(2)OUTPUT:5v/3A,9v/2.0A,12v/1.5,10v/2.25A(22.5w) DC PortINPUT:12v/5.5A, DC Port OUTPUT Level :5v/5.5A,9v/5.5A,12v/5.5A,15v/5.5A,,20v/5.5A,24v/5.5A Screen Display:(Voltage,Currenty ,Battery Level display/188 Screen) c1/c2 Port Single Port Support INPUT OUTPUT All 100w,c1 Port/c2 Port Support simultaneous fast charging Charging:c1 Port/usb2 simultaneous voltage Fast Charging;c2/usb1 simultaneous voltage Fast Charging,c1/usb1 simultaneous 5v,c2/usb2 simultaneous 5v,4pcs Port simultaneous 5v,Single Click Display:Battery Level display,Long Press Open outdoor LightSingle Click to Light Brightness Level (1 Brightness,2 Medium,3 Highest Brightness,Doulbe Click Strobe Light sos</p>	
<p>M7/22.5w Laptop Power Bank(Large Wattage)</p>		<p>NAME: Power Bank5000MahPD22.5瓦 ITEM#:M7 Material:ABS Battery Type:1260110*5 SIZE:144*65*70mm N.W/PC:475 Color:Black, Yellow White</p>	<p>Specification:PD22.5W Version TYPE-C1INPUT:5v/3A 9v/2A12v/1.5A(18W max) TYPE-C1OUTPUT:5v/3A 9v/2.5A12v/1.67A(22.5W max) TYPE-C2INPUT:5v/3A 9v/2A 12v/1.5A(18W max) TYPE-C2OUTPUT:5v/3A 9v/2.5A12v/1.67A(22.5W max) USB-A1/A2 OUT: 5v/3A 9v/2.5A 12v/1.67A 10v/2.25A(22.5W max)</p>	<p>22.5w</p>
<p>M7/100w Laptop Power Bank(Large Wattage)</p>		<p>NAME: Power Bank5000MahPD22.5瓦 ITEM#:M7 Material:ABS Battery Type:1260110*5 SIZE:144*65*70mm N.W/PC:476 Color:Black, Yellow White</p>	<p>Specification:100W Version TYPE-C1INPUT:5v/3A,(9v-15v)/3.0A,20v/3.25A,(45W max) TYPE-C1OUTPUT:5v/3A (9v-15v)/3.0A,20v/5A,(65W max) TYPE-C2INPUT:5v/3A (9v-15v)/3.0A,20v/3.25A,(45W max) TYPE-C2OUTPUT:5v/3A (9v-15v)/3.0A,20v/5A,(65W max) USB-A1/A2 OUT: 5v/3A 9v/2.5A 12v/1.67A 10v/2.25A(22.6W max)</p>	<p>Support Laptop</p>

<p>M8/80000Mah Built-In With Retractable Cable Cable100w DC:INPUT OUTPUT</p>		<p>NAME: Laptop Power Bank80000Mah Update Version ITEM#:M8 Material:ABS+Aluminium alloy Battery Type:21700*16 SIZE:120.7*94.4*94.4mm inner box Size: CTN Size: N.W/PC:1470g G.W/CTN:10kg Color:Black, Gray,Blue</p>	<p>M8 Specification(Double IC Version,Support simultaneous ChargingPhones And laptops,No power reduction Power) tpe-c(1)Single PortINPUT OUTPUT:5v/3A,(9v-15v)/3.0A,20v/5A,(100W) tpe-c(2)Single PortINPUT OUTPUT:5v/3A,(9v-15v)/3.0A,20v/5A,(100w) tpe-c(1)+(2) simultaneous INPUT:C1 Port+c2 Port(100w), Built-In With Retractable Cable Cabletpe-cSingle PortINPUT OUTPUT:5v/3A,(9v-15v)/3.0A,20v/5A,(100W) tpe-c(1)+(2) simultaneous OUTPUT:c1 Port:100w+c2 Port:100w(Total Power 200w); tpe-c(1)+Built-In With Retractable Cable Cabletpe-cSingle Port simultaneous OUTPUT:c1 Port:100w+c2 Port:100w(Total Power 200w); usb(1)/usb(2)OUTPUT:5v/3A,9v/2.0A,12v/1.5,10v/2.25A(22.5w) DC PortINPUT:12v/5.5A, DC Port OUTPUT Level :5v/5.5A,9v/5.5A,12v/5.5A,15v/5.5A,,20v/5.5A,24v/5.5A Screen Display:(Voltage,Currenty ,Battery Level display/188 Screen) c1/c2 Port Single Port SupportINPUT OUTPUT All 100w,c1 Port/c2 Port Support simultaneous fast charging Charging:c1 Port/usb2 simultaneous voltage Fast Charging;c2/usb1 simultaneous voltage Fast Charging,c1/usb1 simultaneous 5v,c2/usb2 simultaneous 5v,4pcs Port simultaneous 5v,Single Click Display:Battery Level display,Long Press Open outdoor LightSingle Click to Light Brightness Level (1 Brightness,2 Medium,3 Highest Brightness,Double Click Level Strobe Lightsos</p>	<p>Support Laptop</p>
<h2 style="color: red;">AC Plug</h2>				
<p>K11/大 ScreenPlug Built- In Cable10000Mah</p>		<p>NAME:Plug Power Bank 10000Mah 2 in One ITEM#:sxy-K11 Material:ABS+PC Fireproof Battery Type:105555*2 SIZE:108*63*24mm N.W/PC:192g Color:Black</p>	<p>tpe-c(1)INPUT:5v/3A,9v/2.0A,12v/1.5A,(18w) tpe-c(1)OUTPUT:5v/3A,9v/2.0A,12v/1.67A,10v/2.25(22.5w) USB OUTPUT:5v/3A,9v/2.0A,12v/1.67A,(20w) Plug ACINPUT:110v-240v 50-60HZ OUTPUT5/2.0A, Built-In Cable OUTPUT:c Cable:5v/3A,9v/2.0A,12v/1.5A,10v/2.25(22.5w),Lightning Cable OUTPUT:/5v-2.0A Screen Display:(Battery Level display/188 Screen)</p>	
<p>K11/小 ScreenPlug Built- In Cable10000Mah</p>		<p>NAME:Plug Power Bank 10000Mah 2 in One ITEM#:sxy-K11 Material:ABS+PC Fireproof Battery Type:105555*2 SIZE:108*63*24mm N.W/PC:193g Color:Black</p>	<p>tpe-c(1)INPUT:5v/3A,9v/2.0A,12v/1.5A,(20w) tpe-c(1)OUTPUT:5v/3A,9v/2.0A,12v/1.67A,10v/2.25(22.5w) USB OUTPUT:5v/3A,9v/2.0A,12v/1.67A,(20w) Plug ACINPUT:110v-240v 50-60HZ OUTPUT5/2.0A, Built-In Cable OUTPUT:c Cable:5v/3A,9v/2.0A,12v/1.5A,10v/2.25(22.5w),Lightning Cable OUTPUT:/5v-2.0A Screen Display:(Battery Level display/189 Screen)</p>	
<p>K11/小 ScreenPlug Built- In Cable10000Mah Magneitc Wireless Cable Charging</p>		<p>NAME:Plug Power Bank 10000Mah 2 in One ITEM#:sxy-K11Magneitc Wireless Cable Charging Material:ABS+PC Fireproof Battery Type:105555*2 SIZE:108*63*24mm N.W/PC:194g Color:Gray, White,</p>	<p>type-cINPUT:5v/3A,9v/2.0A,12v/1.67A,(20w) Built-In c CableINPUT:c Cable:5v/3A,9v/2.0A,12v/1.67A,(20w) Plug ACINPUT:110v-240v 50-60HZ OUTPUT5/2.0A, type-cOUTPUT:5v/3A,9v/2.0A,12v/1.5A,10v/2.25A(22.5w) USB OUTPUT:5v/3A,9v/2.0A,12v/1.67A,(20w) Built-In Cable OUTPUT:c Cable:5v/3A,9v/2.0A,12v/1.5A,10v/2.25(22.5w), Lightning Cable OUTPUT:/5v-2.0A Phones Wireless Cable Charging Max OUTPUT:15w,Lightning For Watch PowerOUTPUT:2w,Earbuds OUTPUT:2w Screen Display:(Battery Level display/190 Screen)</p>	

k09/10000Mah		<p>NAME:Plug Power Bank 10000Mah 2 in One ITEM#:sxy-K06 Material:ABS+PC Fireproof Battery Type:146074*1 SIZE:147*69*17.3mm N.W/PC:192g Color:Black,White,</p>	<p>tpe-c(1)INPUT:5v/3A,9v/2.0A,12v/1.5A,(18w) tpe-c(1)OUTPUT:5v/3A,9v/2.0A,9v/2.23A,10v/2.25A,12v/1.67A,(22.5w) USB OUTPUT:5v/3A,9v/2.0A,10v/2.25A,12v/1.5A,(22.5w) Plug ACINPUT:110v-240v 50-60HZ OUTPUT5/2.0A, Built-In c Cable OUTPUT:5v/3A,9v/2.0A,10v/2.25A,12v/1.67A,(22.5w),Lightning Cable OUTPUT:/5v-2.0A Screen Display:(Battery Level display/188 Screen)</p>	22.5w
K01/5000Mah			<p>tpe-c(1)INPUT OUTPUT:5v/4.5A,9v/2.0A,12v/1.5A,(22.5w) Plug ACOUTPUT:110v-240v/50-65HZ/1.5A, Built-In Cable OUTPUT:c CableOUTPUT5v/3A,9v/2.0A, 12v/1.55A/20w,1Lightning CableOUTPUT/5v-2.0A (10w)</p>	22.5w
K04/ (10000Mah)		<p>NAME:Plug Power Bank 10000Mah 2 in one ITEM#:sxy-k04 Digital Display Material:ABS+PC Fireproof Battery Type:105568*2(10000Mah) SIZE:101*69*25.5mm N.W/PC:190g Color:Black,White,Blue,紫色</p>	<p>tpe-cINPUT:5v/3A,9v/2.0A,12v/1.5A,(18w) tpe-cOUTPUT:5v/3A,9v/2.0A,10v/2.25A, 12v/1.5A,(22.5w) USB OUTPUT:5v/3A,9v/2.0A,10v/2.25A,12v/1.5A,(22.5w) Plug ACINPUT:110v-240v 50-60HZ OUTPUT5/2.0A, Built-In Cable OUTPUT:c Cable:5v/3A,9v/2.0A,10v/2.25A,12v/1.5A,(22.5w),Lightning Cable OUTPUT:/5v-2.0A Screen Display:(Battery Level display/188 Screen)</p>	22.5w
K04S/ (20000Mah)	<p>20000mAh Power Banck</p>  <p>121 580*99MM*27MM</p>	<p>NAME:Plug Power Bank 20000Mah 2 in one ITEM#:sxy-k04s Digital Display Material:ABS+PC Fireproof Battery Type:146074*2(20000Mah) SIZE:121*70*31.5mm N.W/PC:290g Color:Black,White,Blue,紫色</p>	<p>tpe-cINPUT:5v/3A,9v/2.0A,12v/1.5A,(18w) tpe-cOUTPUT:5v/3A,9v/2.0A,9v/2.5A, 12v/1.67A,(22.5w) USB OUTPUT:5v/3A,9v/2.0A,9v/2.5A,12v/1.67A,(22.5w) Plug ACINPUT:110v-240v 50-60HZ OUTPUT5/2.0A, Built-In Cable OUTPUT:c Cable:5v/3A,9v/2.0A,9v/2.5A,12v/1.5A,(20w),Lightning Cable OUTPUT:/5v-2.0A Screen Display:(Battery Level display/188 Screen)</p>	22.5w
K05/10000Mah		<p>NAME:Plug Power Bank 10000Mah 2 in one ITEM#:sxy-K05 Material:ABS+PC Fireproof Battery Type:105568*2(10000Mah) SIZE:111*73*26.5mm N.W/PC:191g Color:Black,White</p>	<p>tpe-c(1)INPUT:5v/3A,9v/2.0A,12v/1.5A,(20w) tpe-c(1)OUTPUT:5v/3A,9v/2.0A,12v/1.5A,10v/2.25(22.5w) USB OUTPUT:5v/3A,9v/2.0A,12v/1.67A,(20w) Plug ACINPUT:110v-240v 50-60HZ OUTPUT5/2.0A, Built-In Cable OUTPUT:c Cable:5v/3A,9v/2.0A,12v/1.5A,10v/2.25(22.5w),Lightning Cable OUTPUT:/5v-2.0A Screen Display:(Battery Level display/188 Screen)</p>	22.5w






K06/ (10000MAH)	 <p>SIZE:118*55*26MM</p>	<p>NAME:Plug Power Bank 10000Mah 2 in One ITEM#:sxy-K06 Material:ABS+PC Fireproof Battery Type:114371*2 SIZE:117*53*26.6mm N.W/PC:192g Color:Black, Yellow White</p>	<p>tppe-c(1)INPUT:5v/3A,9v/2.0A,12v/1.5A,(18w) tppe-c(1)OUTPUT:5v/3A,9v/2.0A,9v/2.23A,10v/2.25A,12v/1.67A,(22.5w) USB OUTPUT:5v/3A,9v/2.0A,10v/2.25A,12v/1.5A,(22.5w) Plug ACINPUT:110v-240v 50-60HZ OUTPUT5/2.0A, Built-In c Cable OUTPUT:5v/3A,9v/2.0A,10v/2.25A,12v/1.67A,(22.5w),Lightning Cable OUTPUT:/5v-2.0A Screen Display:(Battery Level display/188 Screen)</p>	22.5w
K06s/(20000MAH)		<p>NAME:Plug Charging 电20000Mah 2 in One ITEM#:sxy-K06s Material:ABS+PC Fireproof Battery Type:1376074*2(20000Mah) SIZE:121*73*31.6mm N.W/PC:293g Color:Black, Yellow White</p>	<p>tppe-c(1)INPUT:5v/3A,9v/2.0A,12v/1.5A,(20w) tppe-c(1)OUTPUT:5v/3A,9v/2.0A,12v/1.67A,10v/2.25(22.5w) USB OUTPUT:5v/3A,9v/2.0A,12v/1.67A,(20w) Plug ACINPUT:110v-240v 50-60HZ OUTPUT5/2.0A, Built-In Cable OUTPUT:c Cable:5v/3A,9v/2.0A,12v/1.5A,10v/2.25(22.5w),Lightning Cable OUTPUT:/5v-2.0A Screen Display:(Battery Level display/188 Screen)</p>	22.5w
K010/ (10001MAH)		<p>NAME:Plug Power Bank 10000Mah 2 in One ITEM#:sxy-K06 Material:ABS+PC Fireproof Battery Type:114371*2 SIZE:117*53*26.6mm N.W/PC:193g Color:Black, Yellow White</p>	<p>tppe-c(1)INPUT:5v/3A,9v/2.0A,12v/1.5A,(20w) tppe-c(1)OUTPUT:5v/3A,9v/2.0A,12v/1.67A,10v/2.25(22.5w) USB OUTPUT:5v/3A,9v/2.0A,12v/1.67A,(20w) Plug ACINPUT:110v-240v 50-60HZ OUTPUT5/2.0A, Built-In Cable OUTPUT:c Cable:5v/3A,9v/2.0A,12v/1.5A,10v/2.25(22.5w),Lightning Cable OUTPUT:/5v-2.0A Screen Display:(Battery Level display/188 Screen)</p>	22.5w
K10s/(20001MAH)	<p>20000mAh Power Bank</p>  <p>SIZE:120*71*32(MM)</p>	<p>NAME:Plug Charging 电20000Mah 2 in One ITEM#:sxy-K06s Material:ABS+PC Fireproof Battery Type:1376074*2(20000Mah) SIZE:121*73*31.6mm N.W/PC:294g Color:Black, Yellow White</p>	<p>tppe-cINPUT:5v/3A,9v/2.0A,12v/1.5A,(18w) tppe-cOUTPUT:5v/3A,9v/2.23A,10v/2.25A,12v/1.67A,(22.5w) USB OUTPUT:5v/3A,9v/2.0A,10v/2.25A,12v/1.5A,(22.5w) Plug ACINPUT:110v-240v 50-60HZ OUTPUT5/2.0A, Built-In Cable OUTPUT:c Cable:5v/3A,9v/2.23A,10v/2.25A,12v/1.67A,(22.5w),Lightning Cable OUTPUT:/5v-2.0A 188 Digital Display</p>	22.5w



K07/10000Mah		NAME:Plug Power Bank 10000Mah 2 in one ITEM#:sxy-K07 Material:ABS+PC Fireproof Battery Type:105568*2(10000Mah) SIZE:113*69.5*26.5mm N.W/PC:191g Color:Black,Orange,Army	tpe-cINPUT:5v/3A,9v/2.0A,12v/1.5A,(18w) tpe-cOUTPUT:5v/3A,9v/2.0A,10v/2.25A,12v/1.67A,(20w) USB OUTPUT:5v/3A,9v/2.0A,10v/2.25A,12v/1.5A,(22.5w) Plug ACINPUT:110v-240v 50-60HZ OUTPUT5/2.0A, Built-In Cable OUTPUT:c Cable:5v/3A,9v/2.0A,10v/2.25A,12v/1.5A,(22.5w),Lightning Cable OUTPUT:5v-2.0A	22.5w
K07S/ (20000Mah)		NAME:Plug Power Bank 20000Mah 2 in one ITEM#:sxy-K07s Material:ABS+PC Fireproof Battery Type:1376074*2(20000Mah) SIZE:117*73*31.5mm N.W/PC:292g Color:Black,Orange,Army	tpe-cINPUT:5v/3A,9v/2.0A,12v/1.5A,(18w) tpe-cOUTPUT:5v/3A,9v/2.0A,10v/2.25A,12v/1.67A,(20w) USB OUTPUT:5v/3A,9v/2.0A,10v/2.25A,12v/1.5A,(22.5w) Plug ACINPUT:110v-240v 50-60HZ OUTPUT5/2.0A, Built-In Cable OUTPUT:c Cable:5v/3A,9v/2.0A,10v/2.25A,12v/1.5A,(22.5w),Lightning Cable OUTPUT:5v-2.0A	22.5w
w01/5000Mah	<p>5000mAh Power Bank</p>  <p>SIZE:104*68*12.5(MM)</p>	NAME:Magnetic Watch Charging Wireless Cable Power Bank5000MahPD22.5w ITEM#:w01 Material:ABS+PC Fireproof Battery Type:676074 SIZE:105*68*10.5mm N.W/PC:130g Color:White,Black	tpe-c(1)INPUT:5V/3A,9V/2.0A,12v/1.5A, OUTPUT:5V/3A 9V/2.2A 12V/1.67A tpe-c(2)INPUT5V/3A,9V/2.0A,12v/1.5A, OUTPUT:5V/3A 9V/2.2A 12V/1.67A Magneitc Wireless Cable ChargingOUTPUT:15w,Earbuds 3W For Watch Power:2.5W	Magnetic
w02/10000Mah	<p>10000mAh Power Bank</p>  <p>SIZE:104*68*18(MM)</p>	NAME:Magnetic Watch Charging Wireless Cable Power Bank 10000MahPD22.5w ITEM#:w02 Material:ABS+PC Fireproof Battery Type:146074 SIZE:105*68*19.8mm N.W/PC:192g Color:White,Black	tpe-c(1)INPUT:5V/3A,9V/2.0A,12v/1.5A, OUTPUT:5V/3A 9V/2.2A 12V/1.67A tpe-c(2)INPUT5V/3A,9V/2.0A,12v/1.5A, OUTPUT:5V/3A 9V/2.2A 12V/1.67A Magneitc Wireless Cable Charging OUTPUT:15w,Earbuds 3W For Watch Power:2.5W	Magnetic
T01(10000Mah) /Lightning 15/16 Fast Charging5 芯 Cable	<p>10000MAH POWERBANK</p>  <p>SIZE:110*70*17MM</p>	NAME: Power Bank 10000MahBuilt- In Cable22.5 ITEM#:T10 Material:Fireproof ABS+pc Battery Type:126280*1(10000Mah) SIZE:110*70*17mm N.W/PC:179 Color:Black	tpe-cINPUT:5v/2.0A,9v/2.0A,12v/1.5A,(20w) tpe-cOUTPUT:5v/2.0A,9v/2.0A,12v/1.67A,10v/2.25(22.5w) USB OUTPUT:5v/3A,9v/2.0A,12v/1.5A , 10v/2.25A(22.5w) Built-In Cable OUTPUT:c Cable5v/3A,9v/2.0A,12v/1.67A,10v/2.25A (22.5w),Lightning Cable/5v-2.0A Screen Display:(Battery Level display/188 Screen)	22.5w/Lightning 15/16 Fast Charging

<p>T01(20000Mah) /Lightning 15/16 普通 Fast Charging(5芯 Cable)</p>		<p>NAME: Power Bank 20000MahBuilt- In Cable22.5 ITEM#:T20 Material:ABS Battery Type:126280*2(20000Mah) SIZE:110*70*27mm N.W/PC279 Color:Black</p>	<p>type-cINPUT:5v/2.0A,9v/2.0A,12v/1.5A,(20w) type-cOUTPUT:5v/2.0A,9v/2.0A,12v/1.67A,10v/2.25(22.5w) USB OUTPUT:5v/3A,9v/2.0A,12v/1.5A,10v/2.25A(22.5w) Built-In Cable OUTPUT:c Cable5v/3A,9v/2.0A,12v/1.67A,10v/2.25A (22.5w),Lightning Cable/5v-2.0A Screen Display:(Battery Level display/188 Screen)</p>	<p>22.5w/Lightning 15/16 Fast Charging</p>
--	--	--	--	--

With Retractable Cable Cable

	图片	Specification	备注	
<p>S10-01方 Screen(22.5w)</p>		<p>NAME: Power Bank 10000Mah 2 in one ITEM#:sxy-s1-01 Material:ABS+PC Fireproof Battery Type:21700*2(10000Mah) SIZE:120*48*25.5mm N.W/PC:190g Color:Gray</p>	<p>type-c(1)INPUT:5v/3A,9v/2.0A,12v/1.5A,(18w) type-c(1)OUTPUT:5v/3A,9v/2.0A,10v/2.25A,12v/1.55A,(22.5w) With Retractable CableC CableINPUT:5v/3A,9v/2.0A,12v/1.5A,(18w) With Retractable Cablec CableOUTPUT5v/3A,9v/2.0A,10v/2.25A,12v/1.67A,(22.5w) L Cable OUTPUT:5v/2.0A 188 Screen</p>	
<p>S10-01方 Screen(35w)</p>		<p>NAME: Power Bank 10000Mah 2 in one ITEM#:sxy-s1-01 Material:ABS+PC Fireproof Battery Type:21700*2(10000Mah) SIZE:120*48*25.5mm N.W/PC:191g Color:Gray</p>	<p>type-cINPUT OUTPUT:5v/3A,9v/3.0A,12v/2.5A,20v/1.75A (35w) type-c With Retractable Cable CableINPUT OUTPUT:5v/3A,9v/3.0A,12v/2.5A,20v/1.75A(35w) L Cable OUTPUT:5v/2.0A 188 Screen</p>	
<p>S10-02横 Screen(22.5w)</p>		<p>NAME: Power Bank 10000Mah 2 in one ITEM#:sxy-s1-01 Material:ABS+PC Fireproof Battery Type:21700*2(10000Mah) SIZE:120*48*25.5mm N.W/PC:191g Color:Gray</p>	<p>type-c(1)INPUT:5v/3A,9v/2.0A,12v/1.5A,(18w) type-c(1)OUTPUT:5v/3A,9v/2.0A,10v/2.25A,12v/1.55A,(22.5w) With Retractable CableC CableINPUT:5v/3A,9v/2.0A,12v/1.5A,(18w) With Retractable Cablec CableOUTPUT5v/3A,9v/2.0A,10v/2.25A,12v/1.67A,(22.5w) L Cable OUTPUT:5v/2.0A 188 Screen</p>	
<p>S10-02横 Screen(35w)</p>		<p>NAME: Power Bank 10000Mah 2 in one ITEM#:sxy-s1-01 Material:ABS+PC Fireproof Battery Type:21700*2(10000Mah) SIZE:120*48*25.5mm N.W/PC:191g Color:Gray</p>	<p>type-cINPUT OUTPUT:5v/3A,9v/3.0A,12v/2.5A,20v/1.75A (35w) type-c With Retractable Cable CableINPUT OUTPUT:5v/3A,9v/3.0A,12v/2.5A,20v/1.75A(35w) L Cable OUTPUT:5v/2.0A 188 Screen</p>	

<p>S10-03竖 Screen(22.5w)</p>	<p>10000mAh Power Bank</p>  <p>SIZE:125*54*25.5(MM)</p>	<p>NAME: Power Bank 10000Mah 2 in one ITEM#:sxy-s1-01 Material:ABS+PC Fireproof Battery Type:21700*2(10000Mah) SIZE:120*48*25.5mm N.W/PC:192g Color:Gray</p>	<p>type-c(1)INPUT:5v/3A,9v/2.0A,12v/1.5A,(18w) type-c(1)OUTPUT:5v/3A,9v/2.0A,10v/2.25A,12v/1.55A,(22.5w) With Retractable CableC CableINPUT:5v/3A,9v/2.0A,12v/1.5A,(18w) With Retractable Cablec CableOUTPUT5v/3A,9v/2.0A,10v/2.25A,12v/1.67A,(22.5w) L Cable OUTPUT:5v/2.0A 188 Screen</p>	
<p>S10-03竖 Screen(35w)</p>	<p>10000mAh Power Bank</p>  <p>SIZE:125*54*25.5(MM)</p>	<p>NAME: Power Bank 10000Mah 2 in one ITEM#:sxy-s1-01 Material:ABS+PC Fireproof Battery Type:21700*2(10000Mah) SIZE:120*48*25.5mm N.W/PC:193g Color:Gray</p>	<p>type-cINPUT OUTPUT:5v/3A,9v/3.0A,12v/2.5A,20v/1.75A (35w) type-c With Retractable Cable CableINPUT OUTPUT:5v/3A,9v/3.0A,12v/2.5A,20v/1.75A(35w) L Cable OUTPUT:5v/2.0A 188 Screen</p>	
<p>S20-01方 Screen(65w) Laptop Power Bank(Large Wattage)</p>	<p>20000mAh Power Bank</p>  <p>136*32*69.5MM</p>	<p>NAME: Power Bank 20000Mah 2 in one ITEM#:sxy-s20-01 Material:ABS+PC Fireproof Battery Type:676074*4 (20000Mah) SIZE:136*36.5*32mm N.W/PC:293g Color:Gray</p>	<p>type-cINPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3A,20v/2.25A (45w) type-cOUTPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3A,20v/3.25A (65w) type-c With Retractable Cable CableINPUT:5v/3A,9v/3.0A,12v/3.0A,15v/2.5A,20v/2.25A(45w) type-c With Retractable Cable Cable OUTPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3A,20v/3.0A (60w) L Cable OUTPUT:5v/2.0A 188 Screen</p>	
<p>S20-02横 Screen(65w) Laptop Power Bank(Large Wattage)</p>	<p>20000mAh Power Bank</p>  <p>136*32*69.5MM</p>	<p>NAME: Power Bank 20000Mah 2 in one ITEM#:sxy-s20-02 Material:ABS+PC Fireproof Battery Type:676074*4 (20000Mah) SIZE:136*36.5*32mm N.W/PC:293g Color:Gray</p>	<p>type-cINPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3A,20v/2.25A (45w) type-cOUTPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3A,20v/3.25A (65w) type-c With Retractable Cable CableINPUT:5v/3A,9v/3.0A,12v/3.0A,15v/2.5A,20v/2.25A(45w) type-c With Retractable Cable Cable OUTPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3A,20v/3.0A (60w) L Cable OUTPUT:5v/2.0A 188 Screen</p>	
<p>S20-03竖 Screen(65w) Laptop Power Bank(Large Wattage)</p>	<p>20000mAh Power Bank</p>  <p>136*32*69.5MM</p>	<p>NAME: Power Bank 20000Mah 2 in one ITEM#:sxy-s20-03 Material:ABS+PC Fireproof Battery Type:676074*4 (20000Mah) SIZE:136*36.5*32mm N.W/PC:293g Color:Gray</p>	<p>type-cINPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3A,20v/2.25A (45w) type-cOUTPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3A,20v/3.25A (65w) type-c With Retractable Cable CableINPUT:5v/3A,9v/3.0A,12v/3.0A,15v/2.5A,20v/2.25A(45w) type-c With Retractable Cable Cable OUTPUT:5v/3A,9v/3.0A,12v/3.0A,15v/3A,20v/3.0A (60w) L Cable OUTPUT:5v/2.0A 188 Screen</p>	

1203-3 Cable		NAME:1203-3 Cable with suction cup Power Bank 10000Mah ITEM#:sxy1203-3 Cable Material:ABS Battery Type:1260110*1(10000Mah) SIZE:145*70*15.5mm N.W/PC:194g Color:Black	c PortINPUT OUTPUT:5v/2.0A Mico INPUT5v/2.0A USB OUTPUT:5v/2.0A type-c/mico/Lightning Built-In CableINPUT OUTPUT:5v/2.0A(10w) Wireless Cable ChargingOUTPUT:5w	
1203-4 Cable		NAME:1203-4 Cable with suction cup Power Bank 10000Mah ITEM#:sxy1203-4 Cable Material:ABS Battery Type:1260110*1(10000Mah) SIZE:145*70*15.5mm N.W/PC:194g Color:Black	c PortINPUT OUTPUT:5v/2.0A Mico INPUT5v/2.0A USB OUTPUT:5v/2.0A type-c/mico/Lightning Built-In CableINPUT OUTPUT:5v/2.0A(10w) Wireless Cable ChargingOUTPUT:5w	